



ZOLOTO[®]

VALVES



Touching Lives Everyday.. Everywhere...

Maximum Retail
PRICE LIST
Dt. 16.02.2026

Art. No.		Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1001		ZOLOTO Bronze Globe Valve (Screwed) HSN Code : 84819090	1/4	8	909	1 1/2	40	3,748
			3/8	10	909	2	50	5,466
			1/2	15	909	2 1/2	65	9,371
			3/4	20	1,311	3	80	15,603
			1	25	1,722	4	100	26,884
			1 1/4	32	2,842			
1001A		ZOLOTO Bronze Angle Globe Valve No.4 (Screwed) HSN Code : 84819090	1/2	15	979			
			3/4	20	1,762			
			1	25	2,422			
			1 1/4	32	3,138			
			1 1/2	40	5,655			
			2	50	7,361			
1002		ZOLOTO Bronze Globe Valve No.5 (Screwed) HSN Code : 84819090	1/4	8	909	1 1/2	40	6,177
			3/8	10	973	2	50	10,405
			1/2	15	1,382	2 1/2	65	17,252
			3/4	20	2,255	3	80	25,446
			1	25	3,588			
			1 1/4	32	4,781			
1003		ZOLOTO Bronze Globe Valve No.8 (Flanged) Flanged Ends to BS 10 Table 'D' HSN Code : 84819090	1/2	15	4,253			
			3/4	20	5,543			
			1	25	7,469			
			1 1/4	32	8,965			
			1 1/2	40	12,958			
			2	50	17,435			
1004		ZOLOTO Bronze Globe Valve (One Side Flanged) with PTFE Seating Flanged Ends to BS 10 Table 'D' HSN Code : 84812000	1/2	15	3,077			
			3/4	20	4,041			
			1	25	5,634			
			1 1/4	32	8,032			
			1 1/2	40	10,801			
			2	50	15,039			
1005		ZOLOTO Bronze Needle Valve (Screwed) HSN Code : 84812000	1/2	15	846			
			3/4	20	1,447			
			1	25	2,147			
			1 1/4	32	3,166			
			1 1/2	40	4,219			
			2	50	7,165			
1006		ZOLOTO Bronze Gate Valve (Hex. Type) (Screwed) HSN Code : 84818030	1/4	8	929	1 1/2	40	5,076
			3/8	10	1,204	2	50	7,435
			1/2	15	1,331	2 1/2	65	12,923
			3/4	20	1,873	3	80	19,309
			1	25	2,588	4	100	37,436
			1 1/4	32	3,574	6	150	1,96,189

Art. No.		Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1007		ZOLOTO Bronze Gate Valve (Peg. Type) (Screwed) HSN Code : 84818030	1/4	8	929	1 1/2	40	5,076
			3/8	10	1,204	2	50	7,435
			1/2	15	1,331	2 1/2	65	12,923
			3/4	20	1,873	3	80	19,309
			1	25	2,588	4	100	37,436
			1 1/4	32	3,574			
1008		ZOLOTO Bronze Ball Valve (Screwed) HSN Code : 84818090	1/2	15	1,249	2 1/2	65	17,504
			3/4	20	1,889	3	80	25,379
			1	25	2,356	4	100	40,808
			1 1/4	32	4,587			
			1 1/2	40	6,503			
			2	50	10,245			
1008A		ZOLOTO Bronze Ball Valve - E Model (Screwed) HSN Code : 84818090	1/2	15	1,126			
			3/4	20	1,579			
			1	25	2,262			
			1 1/4	32	3,825			
			1 1/2	40	5,825			
			2	50	8,032			
1008B		ZOLOTO Forged Brass Ball Valve (Screwed) HSN Code : 84818090	1/4	8	578	1 1/2	40	3,157
			3/8	10	578	2	50	4,533
			1/2	15	593	2 1/2	65	9,601
			3/4	20	820	3	80	16,501
			1	25	1,298	4	100	25,638
			1 1/4	32	2,169			
1009		ZOLOTO Bronze Vertical Check Valve (Screwed) HSN Code : 84813000	1/2	15	846	2 1/2	65	7,759
			3/4	20	1,208	3	80	10,816
			1	25	1,687	4	100	17,707
			1 1/4	32	2,611			
			1 1/2	40	3,053			
			2	50	4,547			
1009A		ZOLOTO Forged Brass Multi Utility Check Valve (Screwed) HSN Code : 84813000	1/2	15	652			
			3/4	20	862			
			1	25	1,334			
			1 1/4	32	2,083			
			1 1/2	40	2,613			
			2	50	3,925			
1010		ZOLOTO Bronze Horizontal Check Valve (Screwed) HSN Code : 84813000	1/4	8	856	1 1/2	40	3,490
			3/8	10	856	2	50	5,086
			1/2	15	856	2 1/2	65	8,704
			3/4	20	1,226	3	80	14,473
			1	25	1,608	4	100	24,926
			1 1/4	32	2,635			

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1010A	 ZOLOTO Bronze Angle Type Lift Check Valve (Screwed) HSN Code : 84813000	1/2	15	1,132			
		3/4	20	1,979			
		1	25	2,677			
		1 1/4	32	3,352			
		1 1/2	40	5,943			
		2	50	8,166			
1011	 ZOLOTO Bronze Horizontal Check Valve No.5 (Screwed) HSN Code : 84813000	1/4	8	867	1 1/2	40	5,885
		3/8	10	929	2	50	9,904
		1/2	15	1,317	2 1/2	65	16,429
		3/4	20	2,147	3	80	24,233
		1	25	3,414			
		1 1/4	32	4,553			
1012	 ZOLOTO Bronze Horizontal Check Valve No.8 (Flanged) Flanged Ends to BS 10 Table 'D' HSN Code : 84813000	1/2	15	2,650			
		3/4	20	3,771			
		1	25	5,923			
		1 1/4	32	7,797			
		1 1/2	40	8,232			
		2	50	12,165			
1013	 ZOLOTO Bronze Horizontal Check Valve No.9 (Screwed) HSN Code : 84813000	1/4	8	1,368	1 1/2	40	6,380
		3/8	10	1,368	2	50	10,869
		1/2	15	2,046	2 1/2	65	19,769
		3/4	20	2,330	3	80	26,766
		1	25	3,929	4	100	47,854
		1 1/4	32	5,797			
1014	 ZOLOTO Bronze Horizontal Check Valve No.9 (Flanged) Flanged Ends to BS 10 Table 'F' HSN Code : 84813000	1/2	15	4,579	2 1/2	65	36,260
		3/4	20	5,490	3	80	43,777
		1	25	9,143	4	100	68,060
		1 1/4	32	12,188			
		1 1/2	40	15,468			
		2	50	25,136			
1018	 ZOLOTO Bronze Ferrule Cock (Medium) HSN Code : 84818020	1/4	8	806			
		3/8	10	851			
		1/2	15	937			
1019	 ZOLOTO Bronze Ferrule Cock (Heavy) HSN Code : 84818020	1/2	15	1,235			
		3/4	20	1,732			
		1	25	3,689			

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1019A	 ZOLOTO Bronze Ferrule Cock (As Per IS 2692) HSN Code : 84818020	1/4	8	1,684			
		3/8	10	1,717			
		1/2	15	1,730			
		3/4	20	2,734			
		1	25	4,645			
1024A	 ZOLOTO Forged Brass Ball Bib Cock with Hose Union (Chrome Plated) HSN Code : 84818020	1/2	15	746			
1031	 ZOLOTO Bronze Union Bonnet Globe Valve (Screwed) HSN Code : 84818030	1/4	8	1,876	1 1/2	40	8,708
		3/8	10	1,876	2	50	13,756
		1/2	15	2,013	2 1/2	65	21,414
		3/4	20	3,198	3	80	29,961
		1	25	4,721	4	100	52,339
1032	 ZOLOTO Bronze Union Bonnet Globe Valve (Flanged) Flanged Ends to BS 10 Table 'F' HSN Code : 84818030	1/2	15	5,634	2 1/2	65	41,113
		3/4	20	6,298	3	80	50,090
		1	25	8,984	4	100	81,128
		1 1/4	32	13,699			
		1 1/2	40	16,166			
1033	 ZOLOTO Bronze Globe Valve (Screwed) HSN Code : 84818030	1/4	8	945	1 1/2	40	6,015
		3/8	10	945	2	50	8,412
		1/2	15	1,337	2 1/2	65	17,460
		3/4	20	1,885	3	80	23,377
		1	25	2,759	4	100	36,608
1034	 ZOLOTO Bronze Globe Valve (Flanged) Flanged Ends to IS 778 HSN Code : 84818030	1/2	15	4,532	2 1/2	65	29,726
		3/4	20	5,522	3	80	38,716
		1	25	7,787	4	100	62,223
		1 1/4	32	11,590			
		1 1/2	40	13,598			
1035	 ZOLOTO Bronze Gate Valve (Screwed) HSN Code : 84818030	1/4	8	1,056	1 1/2	40	6,063
		3/8	10	1,311	2	50	8,881
		1/2	15	1,526	2 1/2	65	13,709
		3/4	20	2,057	3	80	20,322
		1	25	3,204	4	100	38,361
		1 1/4	32	4,487			



CM/L-9900049424



CM/L-9900049424



CM/L-9900049424

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1035A	 ZOLOTO Bronze Gate Valve, Class-2 (Screwed) HSN Code : 84818030	1/2	15	1,722	2 1/2	65	16,872
		3/4	20	2,271	3	80	23,622
		1	25	3,478	4	100	42,280
		1 1/4	32	4,677			
		1 1/2	40	6,718			
		2	50	10,194			
1035B	 ZOLOTO Bronze Gate Valve with Rising Stem (Screwed) HSN Code : 84818030	1/2	15	2,139	2 1/2	65	20,383
		3/4	20	2,721	3	80	32,866
		1	25	3,819	4	100	57,102
		1 1/4	32	6,404			
		1 1/2	40	8,946			
		2	50	13,260			
1035C	 ZOLOTO Bronze Gate Valve with Rising Stem Class-2 (Screwed) HSN Code : 84818030	1/2	15	2,414	2 1/2	65	25,082
		3/4	20	3,003	3	80	38,204
		1	25	4,143	4	100	62,935
		1 1/4	32	6,673			
		1 1/2	40	9,912			
		2	50	15,219			
1036	 ZOLOTO Bronze Gate Valve (Flanged) Flanged Ends to IS 778 HSN Code : 84818030	1/2	15	4,729	2 1/2	65	30,225
		3/4	20	5,703	3	80	37,746
		1	25	8,382	4	100	59,483
		1 1/4	32	11,305			
		1 1/2	40	14,253			
		2	50	19,681			
1037	 ZOLOTO Bronze Vertical Check Valve (Screwed) HSN Code : 84813000	1/2	15	1,061			
		3/4	20	1,382			
		1	25	2,086			
		1 1/4	32	2,896			
		1 1/2	40	3,479			
		2	50	5,737			
1038	 ZOLOTO Bronze Horizontal Check Valve (Screwed) HSN Code : 84813000	1/2	15	1,128	2 1/2	65	14,847
		3/4	20	1,646	3	80	20,094
		1	25	2,569	4	100	31,466
		1 1/4	32	3,770			
		1 1/2	40	5,229			
		2	50	7,751			
1039	 ZOLOTO Bronze Horizontal Check Valve (Flanged) Flanged Ends to IS 778 HSN Code : 84813000	1/2	15	4,814	2 1/2	65	25,864
		3/4	20	5,647	3	80	33,299
		1	25	7,787	4	100	53,511
		1 1/4	32	9,982			
		1 1/2	40	13,100			
		2	50	17,352			

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1040A	 ZOLOTO Bronze Compact Pressure Reducing Valve (Screwed) HSN Code : 84811000	2 1/2	65	24,472			
		3	80	37,197			
		4	100	75,549			
1040B	 ZOLOTO Forged Brass Compact Pressure Reducing Valve (Screwed) HSN Code : 84811000	1/2	15	2,485			
		3/4	20	3,064			
		1	25	5,590			
		1 1/4	32	7,017			
		1 1/2	40	7,765			
		2	50	10,624			
1041	 ZOLOTO Bronze Globe Steam Stop Valve (Screwed) HSN Code : 84818030	1/2	15	3,979			
		3/4	20	4,876			
		1	25	7,344			
		1 1/4	32	10,831			
		1 1/2	40	13,594			
		2	50	19,458			
1042	 ZOLOTO Bronze Globe Steam Stop Valve (Flanged) Flanged Ends to BS 10 Table 'H' HSN Code : 84818030	1/2	15	9,004			
		3/4	20	10,055			
		1	25	13,437			
		1 1/4	32	18,827			
		1 1/2	40	22,547			
		2	50	30,334			
1043	 ZOLOTO Bronze Horizontal Lift Check Valve (Screwed) HSN Code : 84813000	1/2	15	3,150			
		3/4	20	3,643			
		1	25	6,628			
		1 1/4	32	9,319			
		1 1/2	40	12,379			
		2	50	17,675			
1044	 ZOLOTO Bronze Horizontal Lift Check Valve (Flanged) Flanged Ends to BS 10 Table 'H' HSN Code : 84813000	1/2	15	8,441			
		3/4	20	9,400			
		1	25	12,634			
		1 1/4	32	17,472			
		1 1/2	40	21,329			
		2	50	28,864			
1045	 ZOLOTO Bronze Vertical Lift Check Valve (Screwed) HSN Code : 84813000	1/2	15	2,868			
		3/4	20	3,780			
		1	25	6,101			
		1 1/4	32	7,530			
		1 1/2	40	8,470			
		2	50	12,693			

Art. No.		Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1046		ZOLOTO	1/2	15	7,983			
		Bronze Vertical Lift Check Valve (Flanged)	3/4	20	9,852			
		Flanged Ends to BS 10 Table 'H'	1	25	11,350			
		HSN Code : 84813000	1 1/4	32	14,556			
			1 1/2	40	18,245			
			2	50	27,132			
I.B.R								
1047		ZOLOTO	1/2	15	10,720			
		Bronze Asbestos Packed Water Level Gauge (Screwed)	3/4	20	14,369			
		HSN Code : 84818030						
I.B.R								
1048		ZOLOTO	1/2	15	15,334			
		Bronze Asbestos Packed Water Level Gauge (Flanged)	3/4	20	18,509			
		Flanged Ends to BS 10 Table 'F'						
I.B.R								
1049		ZOLOTO	1/2	15	19,001			
		Bronze Sleeve Packed Water Level Gauge (Screwed)	3/4	20	24,710			
		HSN Code : 84818030						
I.B.R								
1050		ZOLOTO	1/2	15	21,985			
		Bronze Sleeve Packed Water Level Gauge (Flanged)	3/4	20	26,412			
		Flanged Ends to BS 10 Table 'H'						
I.B.R								
1052		ZOLOTO	1	25	32,841			
		Bronze Parallel Slide Blow Off Valve (Flanged)	1 1/4	32	39,244			
		Flanged Ends to BS 10 Table 'H'	1 1/2	40	45,166			
		HSN Code : 84818030	2	50	66,359			
I.B.R								
1053		ZOLOTO	1/2	15	1,309			
		Bronze Y-Type Strainer (Screwed)	3/4	20	2,335			
		S.S 304 Perforated Sheet Screen Ø1 mm	1	25	4,731			
		HSN Code : 84818030	1 1/4	32	5,948			
			1 1/2	40	8,633			
			2	50	16,138			
I.B.R								

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1053A	 ZOLOTO Forged Brass Y-Type Strainer PN 25 (Screwed) S.S 304 Perforated Sheet Screen Ø1 mm HSN Code : 84818090	1/2	15	860			
		3/4	20	1,517			
		1	25	2,100			
		1 1/4	32	3,957			
		1 1/2	40	4,618			
		2	50	7,845			
1054	 ZOLOTO Bronze Y-Type Strainer (Flanged) Flanged Ends to BS 10 Table 'H', S.S 304 Perforated Sheet Screen Ø1 mm HSN Code : 84818030	1/2	15	4,858			
		3/4	20	7,069			
		1	25	10,820			
		1 1/4	32	14,556			
		1 1/2	40	22,360			
		2	50	33,846			
1055	 ZOLOTO Bronze Thermodynamic Steam Trap (Screwed) S.S 304 Perforated Sheet Screen Ø0.5 mm HSN Code : 84818030	1/2	15	3,311			
		3/4	20	4,211			
		1	25	8,124			
1063	 ZOLOTO Bronze Fusible Plug (One Piece Design) HSN Code : 84814000	1/2	15	1,242			
		3/4	20	1,297			
		1	25	2,090			
1064	 ZOLOTO Bronze Fusible Plug (Two Piece Design) HSN Code : 84814000	1/2	15	2,017			
		3/4	20	2,090			
		1	25	2,374			
		1 1/4	32	3,010			
		1 1/2	40	3,504			
		2	50	5,116			
1064A	 ZOLOTO Bronze Spare Cone for Fusible Plug Two Piece Design HSN Code : 84818030	1/2	15	1,237			
		3/4	20	1,265			
		1	25	1,558			
		1 1/4	32	2,123			
		1 1/2	40	2,220			
		2	50	2,965			
1065	 ZOLOTO Cast Iron Globe Steam Stop Valve Straight Pattern (Flanged) Flanged Ends to DIN 2533 PN 16 RF HSN Code : 84818030	1/2	15	2,995	2 1/2	65	11,716
		3/4	20	3,169	3	80	15,258
		1	25	3,590	4	100	19,934
		1 1/4	32	4,612	5	125	36,866
		1 1/2	40	6,358	6	150	46,875
		2	50	8,184	8	200	65,644

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1066	 ZOLOTO Cast Iron Globe Steam Stop Valve Angle Pattern (Flanged) Flanged Ends to DIN 2533 PN 16 RF HSN Code : 84818030	1/2	15	2,995	2 1/2	65	11,716
		3/4	20	3,169	3	80	15,258
		1	25	3,590	4	100	19,934
		1 1/4	32	4,612	8	200	65,644
		1 1/2	40	6,358			
		2	50	8,184			
1067	 ZOLOTO Cast Iron Horizontal Lift Check Valve Straight Pattern (Flanged) Flanged Ends to DIN 2533 PN 16 RF HSN Code : 84813000	1/2	15	2,696	2 1/2	65	10,641
		3/4	20	3,019	3	80	14,377
		1	25	3,522	4	100	19,006
		1 1/4	32	3,875	5	125	33,289
		1 1/2	40	5,896	6	150	40,658
		2	50	7,768	8	200	55,805
1068	 ZOLOTO Cast Iron Horizontal Lift Check Valve Angle Pattern (Flanged) Flanged Ends to DIN 2533 PN 16 RF HSN Code : 84813000	1/2	15	2,696	2 1/2	65	10,641
		3/4	20	3,019	3	80	14,377
		1	25	3,522	4	100	19,006
		1 1/4	32	3,875	8	200	55,805
		1 1/2	40	5,896			
		2	50	7,768			
1069	 ZOLOTO Cast Iron Y-Type Strainer (Screwed) S.S 304 Perforated Sheet Screen Ø1 mm HSN Code : 84818030	1/2	15	534			
		3/4	20	774			
		1	25	1,163			
		1 1/4	32	1,575			
		1 1/2	40	2,004			
		2	50	3,402			
1070	 ZOLOTO Cast Iron Y-Type Strainer (Flanged) Flanged Ends to BS 10 Table 'F', S.S 304 Perforated Sheet Screen Ø1 mm HSN Code : 84818030	1/2	15	2,385	2 1/2	65	11,297
		3/4	20	2,747	3	80	12,828
		1	25	2,923	4	100	18,924
		1 1/4	32	3,309			
		1 1/2	40	4,842			
		2	50	7,190			
1071	 ZOLOTO Cast Steel Globe Steam Stop Valve (Flanged) Flanged Ends to DIN 2545 PN 40 HSN Code : 84818030	1/2	15	5,016	2 1/2	65	19,640
		3/4	20	5,300	3	80	28,759
		1	25	6,561	4	100	36,469
		1 1/4	32	8,794	6	150	77,913
		1 1/2	40	9,805	8	200	1,69,223
		2	50	12,314			
1072	 ZOLOTO Cast Steel Horizontal Lift Check Valve (Flanged) Flanged Ends to DIN 2545 PN 40 HSN Code : 84813000	1/2	15	4,644	2 1/2	65	18,413
		3/4	20	4,912	3	80	24,370
		1	25	6,164	4	100	32,292
		1 1/4	32	7,803	6	150	71,799
		1 1/2	40	8,382	8	200	1,57,892
		2	50	11,565			

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1073	 ZOLOTO Cast Steel Y-Type Strainer (Flanged) Flanged Ends to BS 10 Table 'J', S.S 304 Perforated Sheet Screen Ø1 mm HSN Code : 84818030	1	25	6,747	4	100	36,208
		1 1/4	32	8,545	6	150	62,072
		1 1/2	40	11,576			
		2	50	13,240			
		2 1/2	65	17,730			
		3	80	24,262			
1074	 ZOLOTO Forged Steel Globe Valve, Class-800 (Standard Bore) HSN Code : 84818030	1/2	15	2,413			
		3/4	20	2,768			
		1	25	4,204			
		1 1/4	32	7,273			
		1 1/2	40	8,556			
		2	50	11,715			
1074A	 ZOLOTO Forged Steel Globe Valve, Class-800 (Full Bore) HSN Code : 84818030	3/8	10	2,413			
		1/2	15	2,768			
		3/4	20	4,204			
		1	25	7,273			
		1 1/4	32	8,556			
		1 1/2	40	11,715			
1075	 ZOLOTO Forged Steel Gate Valve, Class-800 (Standard Bore) HSN Code : 84818030	1/2	15	2,343			
		3/4	20	2,735			
		1	25	4,118			
		1 1/4	32	8,077			
		1 1/2	40	9,504			
		2	50	12,618			
1075A	 ZOLOTO Forged Steel Gate Valve, Class-800 (Full Bore) HSN Code : 84818030	3/8	10	2,343			
		1/2	15	2,735			
		3/4	20	4,118			
		1	25	8,077			
		1 1/4	32	9,504			
		1 1/2	40	12,618			
1076	 ZOLOTO Forged Steel Horizontal Lift Check Valve, Class-800 (Standard Bore) HSN Code : 84813000	1/2	15	1,930			
		3/4	20	1,961			
		1	25	2,935			
		1 1/4	32	6,128			
		1 1/2	40	7,211			
		2	50	10,739			
1076A	 ZOLOTO Forged Steel Horizontal Lift Check Valve, Class-800 (Full Bore) HSN Code : 84813000	3/8	10	1,930			
		1/2	15	1,961			
		3/4	20	2,935			
		1	25	6,128			
		1 1/4	32	7,211			
		1 1/2	40	10,739			

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1077	 ZOLOTO Cast Steel Gate Valve, Class-150 (Flanged) Flanged Ends as per ASME B16.5 Class-150 HSN Code : 84818030	1 1/2	40	12,916	6	150	58,665
		2	50	16,695	8	200	86,822
		2 1/2	65	19,950			
		3	80	25,285			
		4	100	37,208			
		5	125	43,542			
1078	 ZOLOTO Butterfly Valve (Wafer Type), PN 1.6 with S.G Iron Disc Body S.G Iron, Lever Operated, Nitrile / EPDM Rubber Lining, Seat Test Pressure 1.76 Mpa (Hyd.) Additional features like Limit Switch, Pad Lock, Neoprene / Viton / Silicon & Buna-N lining can also be provided at a nominal extra cost. HSN Code : 84818030	1 1/2	40	3,110			
		2	50	3,507			
		2 1/2	65	3,752			
		3	80	4,037			
		4	100	5,242			
		5	125	6,234			
		6	150	8,238			
1078A	 ZOLOTO Butterfly Valve (Wafer Type), PN 1.6 with S.G Iron Disc Gear Operated Body S.G Iron, Nitrile / EPDM Rubber Lining, Seat Test Pressure 1.76 Mpa (Hyd.) Additional features like Limit Switch, Pad Lock, Neoprene / Viton / Silicon & Buna-N lining can also be provided at a nominal extra cost. <i>Note : Sizes above 300 mm are Non-ISI & Sizes above 400 mm are available in PN 1.0 rating only.</i> HSN Code : 84818030	8	200	19,555			
		10	250	31,831			
		12	300	37,866			
		14	350	52,032			
		16	400	77,222			
		18	450	77,534			
		20	500	1,12,097			
		24	600	1,32,748			
1078B	 ZOLOTO Butterfly Valve (Wafer Type), PN 1.6 with S.S 304 Disc Body S.G Iron, Lever Operated, Nitrile / EPDM Rubber Lining, Seat Test Pressure 1.76 Mpa (Hyd.) Additional features like Limit Switch, Pad Lock, S.S 316 Disc, Neoprene / Viton / Silicon & Buna-N lining can also be provided at a nominal extra cost. HSN Code : 84818030	1 1/2	40	3,151			
		2	50	3,756			
		2 1/2	65	4,239			
		3	80	4,774			
		4	100	6,292			
		5	125	8,545			
		6	150	11,141			

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1078C	 ZOLOTO Butterfly Valve (Wafer Type), PN 1.6 with S.S 304 Disc Gear Operated Body S.G Iron, Nitrile / EPDM Rubber Lining, Seat Test Pressure 1.76 Mpa (Hyd.) Additional features like Limit Switch, Pad Lock, S.S 316 Disc, Neoprene / Viton / Silicon & Buna-N lining can also be provided at a nominal extra cost. <i>Note : Sizes above 300 mm are Non-ISI & PN 1.0 rating only.</i> HSN Code : 84818030	8	200	22,236			
		10	250	37,687			
		12	300	44,517			
		14	350	57,722			
1078D	 ZOLOTO Butterfly Valve (Wafer Type), PN 1.0 with Pneumatic Actuator Body S.G Iron, Pneumatic Actuator Operated, S.S 304 Disc, Nitrile / EPDM Rubber Lining, Seat Test Pressure 1.1 Mpa (Hyd.) Neoprene / Viton / Silicon & Buna-N lining, S.S 316 Disc & Limit Switch (Positioner) and Solenoid Device can also be provided at a nominal extra cost. HSN Code : 84818030	1 1/2	40	15,335			
		2	50	15,943			
		2 1/2	65	16,274			
		3	80	16,798			
		4	100	25,766			
		5	125	28,083			
		6	150	30,503			
		8	200	57,375			
1078F	 ZOLOTO Butterfly Valve (Wafer Type), PN 1.0 with Electrical Actuator Body S.G Iron, Electric Actuator Operated, S.S 304 Disc, Nitrile / EPDM Rubber Lining, Seat Test Pressure 1.1 Mpa (Hyd.) Electrical Actuator with Input Voltage 230V AC (24V DC can also be provided on demand at a nominal extra cost). Neoprene / Viton / Silicon & Buna-N lining, S.S 316 Disc can also be provided at a nominal extra cost. HSN Code : 84818030	1 1/2	40	29,185			
		2	50	29,775			
		2 1/2	65	30,258			
		3	80	30,786			
		4	100	32,302			
		5	125	66,839			
		6	150	69,409			
		8	200	77,275			
		10	250	1,30,738			
		12	300	1,37,827			
1078G	 ZOLOTO Butterfly Valve (Wafer Type), PN 2.5 with S.G Iron Disc Body S.G Iron, Lever Operated, Nitrile / EPDM Rubber Lining, Seat Test Pressure 2.75 Mpa (Hyd.) Additional features like Limit Switch, Pad Lock, Neoprene / Viton / Silicon & Buna-N lining can also be provided at a nominal extra cost. HSN Code : 84818030	1 1/2	40	3,339			
		2	50	3,753			
		2 1/2	65	4,058			
		3	80	4,423			
		4	100	5,749			
		5	125	6,639			
		6	150	8,979			

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1078H	 ZOLOTO Butterfly Valve (Wafer Type), PN 2.5 with S.G Iron Disc Gear Operated Body S.G Iron, Nitrile / EPDM Rubber Lining, Seat Test Pressure 2.75 Mpa (Hyd.) Additional features like Limit Switch, Pad Lock, Neoprene / Viton / Silicon & Buna-N lining can also be provided at a nominal extra cost. HSN Code : 84818030	8	200	21,290			
		10	250	34,182			
		12	300	40,539			
1078I	 ZOLOTO Butterfly Valve (Wafer Type), PN 2.5 with S.S 304 Disc Body S.G Iron, Lever Operated, Nitrile / EPDM Rubber Lining, Seat Test Pressure 2.75 Mpa (Hyd.) Additional features like Limit Switch, Pad Lock, S.S 316 Disc, Neoprene / Viton / Silicon & Buna-N lining can also be provided at a nominal extra cost. HSN Code : 84818030	1 1/2	40	3,371			
		2	50	4,026			
		2 1/2	65	4,579			
		3	80	5,156			
		4	100	6,892			
		5	125	9,090			
		6	150	12,216			
1078J	 ZOLOTO Butterfly Valve (Wafer Type), PN 2.5 with S.S 304 Disc Gear Operated Body S.G Iron, Nitrile / EPDM Rubber Lining, Seat Test Pressure 2.75 Mpa (Hyd.) Additional features like Limit Switch, Pad Lock, S.S 316 Disc, Neoprene / Viton / Silicon & Buna-N lining can also be provided at a nominal extra cost. HSN Code : 84818030	8	200	23,912			
		10	250	39,677			
		12	300	47,356			
1078K	 ZOLOTO Butterfly Valve (Wafer Type), PN 1.6 with Electrical Actuator Body S.G Iron, S.S 304 Disc, Nitrile / EPDM Rubber Lining, Seat Test Pressure 1.76 Mpa (Hyd.) Electrical Actuator with Input Voltage 230V AC (24V DC can also be provided on demand at a nominal extra cost). Neoprene / Viton / Silicon & Buna-N lining, S.S 316 Disc can also be provided at a nominal extra cost. HSN Code : 84818030	1 1/2	40	29,498			
		2	50	30,148			
		2 1/2	65	30,681			
		3	80	31,261			
		4	100	65,227			
		5	125	67,687			
		6	150	70,517			
		8	200	92,563			
		10	250	1,34,487			
		12	300	1,42,265			

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1079A	 ZOLOTO Cast Iron Sluice Valve PN 1.0 (Flanged) Hand Wheel Operated, Non-Rising Stainless Steel Stem, Bronze Body Seat Ring. Flanged Ends to IS 1538, Shell Test Pressure - 1.5 Mpa (Hyd.), Seat Test Pressure - 1.0 Mpa (Hyd.) Also available with Brass Stem, Pad Lock in all sizes and By-pass arrangement in sizes 200 mm & above at a nominal extra cost. <i>Note : Sizes above 300 mm are Non-ISI.</i> HSN Code : 84818030	2	50	8,936	24	600	5,95,723
		2 1/2	65	9,767			
		3	80	12,261			
		4	100	18,688			
		5	125	21,537			
		6	150	25,794			
		8	200	46,432			
		10	250	67,980			
		12	300	84,254			
		14	350	1,68,516			
		16	400	2,26,910			
		18	450	2,88,658			
1079B	 ZOLOTO Cast Iron Sluice Valve PN 1.6 (Flanged) Hand Wheel Operated, Non-Rising Stainless Steel Stem, Bronze Body Seat Ring. Flanged Ends to IS 1538, Shell Test Pressure - 2.4 Mpa (Hyd.), Seat Test Pressure - 1.6 Mpa (Hyd.) Also available with Brass Stem, Pad Lock, Limit Switch in all sizes and By-pass arrangement in sizes 200 mm & above at a nominal extra cost. HSN Code : 84818030	2	50	9,362			
		2 1/2	65	11,391			
		3	80	14,319			
		4	100	20,574			
		5	125	25,607			
		6	150	31,617			
		8	200	51,530			
		10	250	75,859			
		12	300	97,192			
1079C	 ZOLOTO Cast Iron Sluice Valve PN 1.0 (Flanged) with Rising Stem Hand Wheel Operated, Stainless Steel Stem, Bronze Body Seat Ring. Flanged Ends to IS 1538, Shell Test Pressure - 1.5 Mpa (Hyd.), Seat Test Pressure - 1.0 Mpa (Hyd.) Also available with Brass Stem all sizes and By-pass arrangement in sizes 200 mm & above at a nominal extra cost. HSN Code : 84818030	2	50	11,145			
		2 1/2	65	12,171			
		3	80	15,280			
		4	100	23,290			
		5	125	26,842			
		6	150	32,145			
		8	200	57,869			
		10	250	84,723			
		12	300	1,05,003			

IS : 14846

 CM/L-9761093

IS : 14846

 CM/L-9761093

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1079D	 ZOLOTO Cast Iron Sluice Valve PN 1.6 (Flanged) with Rising Stem Hand Wheel Operated, Stainless Steel Stem, Bronze Body Seat Ring. Flanged Ends to IS 1538, Shell Test Pressure - 2.4 Mpa (Hyd.), Seat Test Pressure - 1.6 Mpa (Hyd.) Also available with Brass Stem all sizes and By-pass arrangement in sizes 200 mm & above at a nominal extra cost. HSN Code : 84818030	2	50	11,570			
		2 1/2	65	13,797			
		3	80	17,338			
		4	100	25,178			
		6	150	37,968			
		8	200	62,967			
		10	250	92,604			
1080A	 ZOLOTO Stainless Steel CF8M (S.S 316) Three Piece Design Ball Valve, Class-150 (Screwed) HSN Code : 84818030	1/2	15	1,936			
		3/4	20	2,813			
		1	25	4,280			
		1 1/4	32	5,103			
		1 1/2	40	7,656			
		2	50	10,004			
1080B	 ZOLOTO Stainless Steel CF8M (S.S 316) Three Piece Design Ball Valve, Class-150 (Flanged) Flanged Ends as per ASME B16.5 Class-150 (Drilled) HSN Code : 84818030	1/2	15	4,344	3	80	32,892
		3/4	20	4,898	4	100	50,922
		1	25	7,033			
		1 1/4	32	9,024			
		1 1/2	40	11,767			
		2	50	17,121			
		2 1/2	65	25,509			
1081	 ZOLOTO Stainless Steel CF8 (S.S 304) Three Piece Design Ball Valve, Class-150 (Screwed) HSN Code : 84818030	1/2	15	1,835			
		3/4	20	2,343			
		1	25	3,864			
		1 1/4	32	4,832			
		1 1/2	40	6,242			
		2	50	8,599			
1081A	 ZOLOTO Stainless Steel CF8 (S.S 304) Three Piece Design Ball Valve, Class-150 (Flanged) Flanged Ends to ASME B16.5 Class-150 (Drilled) HSN Code : 84818030	1/2	15	3,511	3	80	29,002
		3/4	20	4,389	4	100	44,883
		1	25	6,499			
		1 1/4	32	8,384			
		1 1/2	40	11,121			
		2	50	15,853			
		2 1/2	65	22,812			

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1082	 ZOLOTO Cast Iron Dual Plate (Wafer Type) Check Valve, PN 16 With S.S 304 Disc and Nitrile Rubber Lining, Shell Test Pressure - 24.50 kg/cm²g , Seat Test Pressure - 16 kg/cm²g <i>Note : Sizes above 300 mm are PN 10 rating only. Size 350 mm is with Bronze Disc.</i> HSN Code : 84813000	1 1/2	40	4,874	10	250	33,783
		2	50	5,550	12	300	48,311
		2 1/2	65	6,123	14	350	61,564
		3	80	6,955			
		4	100	8,748			
		5	125	10,556			
		6	150	11,718			
		8	200	25,649			
1082A	 ZOLOTO Ductile Iron Dual Plate (Wafer Type) Check Valve, PN 16 With S.S 304 Disc and Nitrile Rubber Lining, Shell Test Pressure - 24 Bar, Seat Test Pressure - 17.6 Bar HSN Code : 84813000	1 1/2	40	4,895	10	250	33,948
		2	50	5,576	12	300	48,547
		2 1/2	65	6,153	14	350	61,856
		3	80	6,987	16	400	1,06,835
		4	100	8,791	18	450	1,37,410
		5	125	10,605	20	500	1,64,129
		6	150	11,773	24	600	2,38,327
		8	200	25,774			
1083	 ZOLOTO Cast Iron Non-Return Valve PN 1.0 (Flanged) Swing Type with Nitrile Rubber Disc Facing, Flanged Ends to IS 1538 HSN Code : 84813000	2	50	5,090	8	200	39,725
		2 1/2	65	6,529	10	250	44,616
		3	80	9,611	12	300	56,279
		4	100	13,420			
		5	125	18,632			
		6	150	23,394			
1083A	 ZOLOTO Cast Iron Non-Return Valve PN 1.6 (Flanged) Swing Type with Nitrile Rubber Disc Facing, Flanged Ends to IS 1538 HSN Code : 84813000	2	50	6,059	8	200	47,056
		2 1/2	65	8,031	10	250	51,293
		3	80	9,900	12	300	59,236
		4	100	13,839			
		5	125	21,265			
		6	150	26,321			
1083B	 ZOLOTO Cast Iron Non-Return Valve PN 1.0 (with By-Pass Arrangement) (Flanged) Swing Type with Nitrile Rubber Disc Facing, Flanged Ends to IS 1538 HSN Code : 84813000	2	50	6,957	8	200	44,217
		2 1/2	65	8,397	10	250	49,109
		3	80	11,480	12	300	64,232
		4	100	15,287			
		5	125	20,501			
		6	150	25,261			
1083C	 ZOLOTO Cast Iron Non-Return Valve PN 1.6 (with By-Pass Arrangement) (Flanged) Swing Type with Nitrile Rubber Disc Facing, Flanged Ends to IS 1538 HSN Code : 84813000	2	50	8,077	8	200	51,759
		2 1/2	65	10,051	10	250	56,000
		3	80	11,921	12	300	68,964
		4	100	15,857			
		5	125	23,286			
		6	150	28,341			

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1084	 ZOLOTO Cast Iron Y-Type Strainer, PN 10 (Flanged) Shell Test Pressure - 15 kg/cm ² g, S.S 304 Perforated Sheet Screen Ø3 mm, Flanged Ends to BS 10 Table 'F' HSN Code : 84818030	1 1/2	40	3,366	8	200	41,307
		2	50	4,677	10	250	66,431
		2 1/2	65	6,548	12	300	91,200
		3	80	7,691	14	350	1,36,996
		4	100	10,310			
		5	125	19,999			
		6	150	20,643			
1084A	 ZOLOTO Cast Iron Y-Type Strainer, PN 16 (Flanged) Shell Test Pressure - 24 kg/cm ² g, S.S 304 Perforated Sheet Screen Ø3 mm, Flanged Ends to BS 10 Table 'F' HSN Code : 84818030	1 1/2	40	4,578	8	200	49,214
		2	50	5,954	10	250	75,012
		2 1/2	65	8,170			
		3	80	9,909			
		4	100	13,589			
		5	125	21,347			
		6	150	27,885			
1085	 ZOLOTO Bronze Ball Valve with Integral Strainer (Screwed) HSN Code : 84818030	1/2	15	2,105			
		3/4	20	3,271			
		1	25	4,148			
1085A	 ZOLOTO Bronze Ball Valve with Integral Strainer & Flare Nut (Mixed Ends) HSN Code : 84818030	1/2	15	2,883			
		3/4	20	3,249			
		1	25	3,491			
1085B	 ZOLOTO Bronze Ball Valve with Flare Nut (Mixed Ends) HSN Code : 84818030	1/2	15	1,878			
		3/4	20	1,907			
		1	25	2,314			
1086	 ZOLOTO Stainless Steel Thermodynamic Steam Trap (Screwed) Stainless Steel S.S 304 Perforated Sheet Screen Ø0.5 mm, Shell Test Pressure - 52 bar (Hyd.), Maximum Working Pressure - 31.6 bar (Steam) HSN Code : 84818030	1/2	15	2,192			
		3/4	20	2,364			
		1	25	2,541			

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1087	 ZOLOTO Bronze Double Regulating Balancing Valve (Screwed) with Nozzle HSN Code : 84818030	1/2	15	4,882			
		3/4	20	5,510			
		1	25	6,480			
		1 1/4	32	8,717			
		1 1/2	40	10,623			
		2	50	16,996			
1087A	 ZOLOTO Cast Iron Double Regulating Balancing Valve (Flanged) with Nozzle Flanged Ends to BS 4504 Section 3.2 PN 16 HSN Code : 84818030	2 1/2	65	13,635	10	250	1,14,231
		3	80	16,020	12	300	1,47,519
		4	100	23,832			
		5	125	33,966			
		6	150	46,056			
		8	200	87,092			
1088	 ZOLOTO Cast Steel Three Piece Design Ball Valve, Class-150 (Screwed) HSN Code : 84818030	1/2	15	1,600			
		3/4	20	2,121			
		1	25	3,743			
		1 1/4	32	3,879			
		1 1/2	40	5,262			
		2	50	8,462			
1089	 ZOLOTO Cast Steel Three Piece Design Ball Valve, Class-150 (Flanged) Flanged Ends to ASME B16.5 Class-150 (Drilled) HSN Code : 84818030	1/2	15	3,249	2 1/2	65	17,697
		3/4	20	4,181	3	80	23,065
		1	25	6,303	4	100	35,486
		1 1/4	32	7,101			
		1 1/2	40	9,091			
		2	50	14,756			
1090	 ZOLOTO Cast Iron Bucket Type Steam Trap (Screwed) HSN Code : 84818030	1/2	15	3,543			
		3/4	20	4,312			
		1	25	7,921			
		1 1/4	32	13,454			
		1 1/2	40	13,696			
		2	50	17,112			
1091	 ZOLOTO Cast Steel Sleeve Packed Water Level Gauge (Flanged) Flanged Ends to BS 10 Table 'J' HSN Code : 84818030	3/4	20	20,152			
1092	 ZOLOTO Cast Steel Parallel Slide Blow Off Valve (Flanged) Flanged Ends to BS 10 Table 'J' HSN Code : 84818030	1	25	15,813			
		1 1/4	32	22,233			
		1 1/2	40	27,326			
		2	50	32,979			

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1093	 ZOLOTO Bronze Landing (Fire Hydrant) Valve (Flanged) Inlet 80 mm & Outlet 65 mm, as per IS 5290, Flanged Ends to IS 1538 HSN Code : 84818030	3	80	34,921			
1093A	 ZOLOTO Stainless Steel (S.S 304) Landing (Fire Hydrant) Valve (Flanged) Inlet 80 mm & Outlet 65 mm, as per IS 5290, Flanged Ends to IS 1538 HSN Code : 84818030	3	80	13,799			
1094	 ZOLOTO Bronze Spring Loaded Safety Relief Valve, Open Discharge (Screwed) HSN Code : 84814000	1/2	15	3,493			
		3/4	20	3,981			
		1	25	5,730			
		1 1/4	32	7,683			
		1 1/2	40	11,385			
		2	50	14,804			
1094A	 ZOLOTO Bronze Spring Loaded Safety Relief Valve, Enclosed Discharge (Screwed) HSN Code : 84814000	1/2	15	3,981			
		3/4	20	4,470			
		1	25	6,705			
		1 1/4	32	8,661			
		1 1/2	40	12,848			
		2	50	14,804			
1095	 ZOLOTO Forged Brass Air Release Valve (Screwed) HSN Code : 84818090	1/2	15	1,059			
		3/4	20	1,504			
		1	25	1,566			
1096	 ZOLOTO Ductile Iron Sluice Valve PN 1.6 (Flanged) Hand Wheel Operated, Non-Rising Stainless Steel Stem, Bronze Body Seat Ring, Flanged Ends to IS 1538, Shell Test Pressure - 2.4 Mpa (Hyd.), Seat Test Pressure - 1.6 Mpa (Hyd.) Also available with Brass Stem, Pad Lock, Limit Switch in all sizes and By-pass arrangement in sizes 200 mm & above at a nominal extra cost. HSN Code : 84818030	2	50	11,399			
		2 1/2	65	13,605			
		3	80	16,918			
		4	100	24,493			
		5	125	26,762			
		6	150	37,577			
		8	200	61,800			
		10	250	91,564			
		12	300	1,15,609			

S.No.	Particulars	Amount
1.	ZOLOTO Cast Iron Y-Type Strainer with Magnet	10% Extra
2.	ZOLOTO Butterfly Valve with S.S 304 Disc & Dual Plate Check Valve with S.S 316 Disc	5% Extra
3.	ZOLOTO Open Shut Indicator / Locking Arrangement (Flanged) For Article No. 1004, 1034 & 1036 (15 mm & above)	5% Extra
4.	ZOLOTO Open Shut Indicator with Locking Arrangement (Flanged) For Article No. 1004, 1034 & 1036 (15 mm & above)	7% Extra
5.	ZOLOTO Open Shut Indicator / Locking Arrangement (Screwed) For Article No. 1033, 1035 & 1035A (15 mm & above)	7% Extra
6.	ZOLOTO Open Shut Indicator with Locking Arrangement (Screwed) For Article No. 1033, 1035 & 1035A (15 mm & above)	10% Extra
7.	ZOLOTO Gear Arrangement on Butterfly Valve (40 mm to 150 mm)	₹ 5,442 Extra
8a.	ZOLOTO Limit Switch Arrangement on Butterfly Valve (40 mm to 300 mm)	₹ 4,004 Extra
8b.	ZOLOTO Limit Switch Arrangement on Butterfly Valve (350 mm)	₹ 4,512 Extra
9.	ZOLOTO Sluice Valve with Brass Stem	25% Extra
10.	ZOLOTO Sluice Valve with Extended Stem For Article No. 1079A, 1079B & 1096 (Extra Charges)	
	1.0 Metre ₹ 3,519 3.0 Metres ₹ 14,667 5.0 Metres ₹ 25,802	
	1.5 Metres ₹ 5,572 3.5 Metres ₹ 18,473 10 Metres ₹ 53,654	
	2.0 Metres ₹ 9,095 4.0 Metres ₹ 20,230	
	2.5 Metres ₹ 12,906 4.5 Metres ₹ 24,047	
11a.	ZOLOTO Solenoid (Device) for Butterfly Valve with Pneumatic Actuator	₹ 7,227 Extra
11b.	ZOLOTO Limit Switch (Position Indicator) for Butterfly Valve with Pneumatic Actuator	₹ 5,324 Extra
12.	ZOLOTO Control Panel with Sensor for Butterfly Valve with Electrical Actuator For Article No. 1078F & 1078K	
	Input & Output Volt of 230V AC / 24V DC ₹ 8,200 Extra	
	Input 230V AC & Output 24V DC ₹ 9,000 Extra	
13.	ZOLOTO Valves with PTFE Seating	10% Extra
14.	ZOLOTO Limit Switch for Sluice Valve PN 1.6 (Flanged) (ISI) For Article No. 1079B & 1096	
	50 mm ₹ 3,661 125 mm ₹ 4,687 300 mm ₹ 7,695 600 mm ₹ 11,298	
	65 mm ₹ 3,661 150 mm ₹ 4,687 350 mm ₹ 9,391	
	80 mm ₹ 3,774 200 mm ₹ 5,521 400 mm ₹ 9,391	
	100 mm ₹ 4,231 250 mm ₹ 7,121 450 mm ₹ 9,774	
	Note : For sizes above 300 mm, the pressure rating will be PN 1.0 (Non-ISI) For Article No. 1079A	
15a.	ZOLOTO Butterfly Valve (Wafer Type), PN 1.0 with Electrical Actuator For Article No. 1078F (40 mm to 300 mm)	
	Input Voltage - 24V DC	₹ 1,760 Extra
15b.	ZOLOTO Butterfly Valve (Wafer Type), PN 1.6 with Electrical Actuator For Article No. 1078K (40 mm to 300 mm)	
	Input Voltage - 24V DC	₹ 1,760 Extra